Dart Aerospace Ltd. Thursday, 8/30/2007 3:51:08 PM Date 10 Kim Johnston User: **Process Sheet Drawing Name** : STRUT : CU-DAR001 Dart Helicopters Services Customer Job Number : 34360 : 10275 **Estimate Number** : NA : D2565103 P.O. Number **Part Number** · D2565 REV E : 8/30/2007 **Drawing Number** This Issue : N/A Prsht Rev. : NC Project Number : SMALL /MED FAB First Issue **Drawing Revision** Previous Run Material : 9/12/2007 Each **Due Date** Written By Checked & Approved By F02.04.16 Added dwg Rev.C1 NG Comment : Est: **Additional Product** Job Number: **Machine Or Operation:** Description: Seq. #: 304 RD Tube .750 x .049W Comment: Qtv.: 15-9338 f(s) 1.5934 f(s)/Unit Total: 304 RD TUBE .750 X.49W 304/316/318-2B Seamless Tubing, 3/4" O.D. x 0.049" wall Batch # 105 35 4 (M304TR0750W049) 2.0 BRAKE NC NC BRAKE Comment: BRAKE NC Punch to length as per Dwg D2565 using DT8313 3.0 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Drill hole open to .316 Ø as per Dwg D2565 (one end only) 2-Deburr 4.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP POWDER COATING 5.0 POWDER COATING

105068

Page 1

Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

Dart Aerospace Ltd

W/O:			WORK ORDER	R CHANGES				······································
DATE	STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							, v	
Part No		P	AR #: Fault Category:	NCP: Voc	MG DO	A. (Date: (ans la

							: N/C Closed:	Date: _			
NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
	STEP	STEP Description of NC Section A		Corrective Action Section B			Verification	Ammerial	Annexal		
DATE				Initial Chief Eng	Action Description Chief Eng	Sig Da	Section C	Approval Chief Eng	Approval QC Inspector		
		0									
								30			
		¥									

NOTE: Date & initial all entries

Thursday, 8/30/2007 3:51:08 PM Date: Úser: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: STRUT Job Number: 34360 Part Number: D2565103 Job Number: Seq. #: Description: Machine Or Operation: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT PACKAGING 1 7.0 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE U 07.91.19 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHAN	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		-							
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:			

QA: N/C Closed: ____ Date: ___


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
DATE		Description of NC	Corrective Action Section B			Verification	A	A		
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
	4									
							1			
							1			

NOTE: Date & initial all entries





DESIG	-#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED M	APPROVED	DRAWING NO. REV. E
	aff	#	D2565 SHEET 1 OF 1
DATE			TITLE SCALE
04.0	5.05		STRUT 1:3
Α	****	96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM. A
O		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH
E		04.05.05	ADD D2565-401-411; RMV ANGLE D



-	***************************************					
			—— A В	£		
÷		"C" DIA	DIA 0.25 TO BE	7 TO BE PU OPENED MA	JNCHED — NUALLY	/
PUNCH	ENDS	PER SPEC	CONTRO	L DRAWING	D2638 —	/

PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	_
D2565-109	12.31		
D2565-111	13.65	12.85	
D2565-201	22.79		0.316
D2565-203		19.95	0.316
D2565-205		20.42	0.316
D2565-207	16.07	15.27	_
D2565-209			
D2565-211	14.14	13.34	
D2565-301			
D2565-303	25.34	24.54	0.316
D2565-305		22.93	0.316
	20.86		
D2565-309		19.37	
D2565-311	16.30	15.50	_
D2565-401	18.29	17.49	
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	- %
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC, M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 WITHOUT NOTICE

3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

WORK ORDER

4) ALL DIMENSIONS ARE IN INCHES

SHOP COPY

RETURN TO **ENGINEERING**

INCONTROLLED COPY

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.